

総括表

八戸港八太郎・河原木地区航路泊地(埋没)付帯施設上部外工事

名 称	規格・形状寸法	単位	数 量	単 価	金 額	摘 要
直接工事費					204,591,538	
間接工事費	21,684,366 + 51,704,044				73,388,410	
共通仮設費(計)	7,772,142 + 12,930,185 + 982,039				21,684,366	
共通仮設費(積上)					7,772,142	
共通仮設費(率)	204,591,538 × 6.32% (4.22% + 1.50% + 0.6%)				12,930,185	
現場環境改善費	204,591,538 × 0.48%				982,039	
現場管理費	226,275,904 × 22.85% (21.10% + 1.75%)				51,704,044	
工事原価	204,591,538 + 73,388,410				277,979,948	
一般管理費等	277,979,948 × 13.14% (13.14% × 1.00) - 7,704				36,518,861	
契約保証費	277,979,948 × 0.04%				111,191	
工事価格	277,979,948 + 36,518,861 + 111,191				314,610,000	
消費税等相当額	314,610,000 × 10.00%				31,461,000	
請負工事費	314,610,000 + 31,461,000				346,071,000	

1. The first part of the document discusses the importance of maintaining accurate records of all transactions. It emphasizes that this is crucial for ensuring the integrity of the financial statements and for providing a clear audit trail. The text notes that any discrepancies or errors in the records can lead to significant complications during an audit and may result in the disallowance of certain expenses.

2. The second part of the document addresses the issue of proper documentation. It states that all receipts, invoices, and other supporting documents must be retained for a minimum of three years. This requirement is intended to ensure that all necessary evidence is available to substantiate the reported amounts and to facilitate the audit process. The document also mentions that digital copies of these documents should be maintained in a secure and accessible format.

3. The third part of the document focuses on the classification of expenses. It provides guidance on how to correctly categorize various types of costs, such as travel, entertainment, and professional fees. The text stresses that it is essential to use the appropriate accounting codes and descriptions to ensure that the expenses are properly recorded and reported. This helps in providing a more detailed and accurate view of the organization's financial performance.

4. The fourth part of the document discusses the importance of timely reporting. It states that all financial information should be reported to the relevant authorities in a timely and accurate manner. This is necessary to ensure that the financial statements are up-to-date and that any potential issues are identified and addressed promptly. The document also notes that late reporting can lead to penalties and may affect the organization's reputation.

5. The fifth part of the document concludes by reiterating the overall goal of the document, which is to ensure that all financial transactions are properly recorded, documented, and reported. It encourages the organization to maintain a high level of transparency and accountability in its financial operations. The document also provides contact information for further assistance and support.

6. The sixth part of the document discusses the importance of maintaining accurate records of all transactions. It emphasizes that this is crucial for ensuring the integrity of the financial statements and for providing a clear audit trail. The text notes that any discrepancies or errors in the records can lead to significant complications during an audit and may result in the disallowance of certain expenses.

7. The seventh part of the document addresses the issue of proper documentation. It states that all receipts, invoices, and other supporting documents must be retained for a minimum of three years. This requirement is intended to ensure that all necessary evidence is available to substantiate the reported amounts and to facilitate the audit process. The document also mentions that digital copies of these documents should be maintained in a secure and accessible format.

8. The eighth part of the document focuses on the classification of expenses. It provides guidance on how to correctly categorize various types of costs, such as travel, entertainment, and professional fees. The text stresses that it is essential to use the appropriate accounting codes and descriptions to ensure that the expenses are properly recorded and reported. This helps in providing a more detailed and accurate view of the organization's financial performance.

9. The ninth part of the document discusses the importance of timely reporting. It states that all financial information should be reported to the relevant authorities in a timely and accurate manner. This is necessary to ensure that the financial statements are up-to-date and that any potential issues are identified and addressed promptly. The document also notes that late reporting can lead to penalties and may affect the organization's reputation.

10. The tenth part of the document concludes by reiterating the overall goal of the document, which is to ensure that all financial transactions are properly recorded, documented, and reported. It encourages the organization to maintain a high level of transparency and accountability in its financial operations. The document also provides contact information for further assistance and support.

11. The eleventh part of the document discusses the importance of maintaining accurate records of all transactions. It emphasizes that this is crucial for ensuring the integrity of the financial statements and for providing a clear audit trail. The text notes that any discrepancies or errors in the records can lead to significant complications during an audit and may result in the disallowance of certain expenses.

12. The twelfth part of the document addresses the issue of proper documentation. It states that all receipts, invoices, and other supporting documents must be retained for a minimum of three years. This requirement is intended to ensure that all necessary evidence is available to substantiate the reported amounts and to facilitate the audit process. The document also mentions that digital copies of these documents should be maintained in a secure and accessible format.

13. The thirteenth part of the document focuses on the classification of expenses. It provides guidance on how to correctly categorize various types of costs, such as travel, entertainment, and professional fees. The text stresses that it is essential to use the appropriate accounting codes and descriptions to ensure that the expenses are properly recorded and reported. This helps in providing a more detailed and accurate view of the organization's financial performance.

14. The fourteenth part of the document discusses the importance of timely reporting. It states that all financial information should be reported to the relevant authorities in a timely and accurate manner. This is necessary to ensure that the financial statements are up-to-date and that any potential issues are identified and addressed promptly. The document also notes that late reporting can lead to penalties and may affect the organization's reputation.

15. The fifteenth part of the document concludes by reiterating the overall goal of the document, which is to ensure that all financial transactions are properly recorded, documented, and reported. It encourages the organization to maintain a high level of transparency and accountability in its financial operations. The document also provides contact information for further assistance and support.

16. The sixteenth part of the document discusses the importance of maintaining accurate records of all transactions. It emphasizes that this is crucial for ensuring the integrity of the financial statements and for providing a clear audit trail. The text notes that any discrepancies or errors in the records can lead to significant complications during an audit and may result in the disallowance of certain expenses.

17. The seventeenth part of the document addresses the issue of proper documentation. It states that all receipts, invoices, and other supporting documents must be retained for a minimum of three years. This requirement is intended to ensure that all necessary evidence is available to substantiate the reported amounts and to facilitate the audit process. The document also mentions that digital copies of these documents should be maintained in a secure and accessible format.

18. The eighteenth part of the document focuses on the classification of expenses. It provides guidance on how to correctly categorize various types of costs, such as travel, entertainment, and professional fees. The text stresses that it is essential to use the appropriate accounting codes and descriptions to ensure that the expenses are properly recorded and reported. This helps in providing a more detailed and accurate view of the organization's financial performance.

19. The nineteenth part of the document discusses the importance of timely reporting. It states that all financial information should be reported to the relevant authorities in a timely and accurate manner. This is necessary to ensure that the financial statements are up-to-date and that any potential issues are identified and addressed promptly. The document also notes that late reporting can lead to penalties and may affect the organization's reputation.

20. The twentieth part of the document concludes by reiterating the overall goal of the document, which is to ensure that all financial transactions are properly recorded, documented, and reported. It encourages the organization to maintain a high level of transparency and accountability in its financial operations. The document also provides contact information for further assistance and support.

21. The twenty-first part of the document discusses the importance of maintaining accurate records of all transactions. It emphasizes that this is crucial for ensuring the integrity of the financial statements and for providing a clear audit trail. The text notes that any discrepancies or errors in the records can lead to significant complications during an audit and may result in the disallowance of certain expenses.

22. The twenty-second part of the document addresses the issue of proper documentation. It states that all receipts, invoices, and other supporting documents must be retained for a minimum of three years. This requirement is intended to ensure that all necessary evidence is available to substantiate the reported amounts and to facilitate the audit process. The document also mentions that digital copies of these documents should be maintained in a secure and accessible format.

23. The twenty-third part of the document focuses on the classification of expenses. It provides guidance on how to correctly categorize various types of costs, such as travel, entertainment, and professional fees. The text stresses that it is essential to use the appropriate accounting codes and descriptions to ensure that the expenses are properly recorded and reported. This helps in providing a more detailed and accurate view of the organization's financial performance.

24. The twenty-fourth part of the document discusses the importance of timely reporting. It states that all financial information should be reported to the relevant authorities in a timely and accurate manner. This is necessary to ensure that the financial statements are up-to-date and that any potential issues are identified and addressed promptly. The document also notes that late reporting can lead to penalties and may affect the organization's reputation.

25. The twenty-fifth part of the document concludes by reiterating the overall goal of the document, which is to ensure that all financial transactions are properly recorded, documented, and reported. It encourages the organization to maintain a high level of transparency and accountability in its financial operations. The document also provides contact information for further assistance and support.

積算内訳表

八戸港八太郎・河原木地区航路泊地(埋没)付帯施設上部外工事

名 称	規格・形状寸法	単 位	数 量	単 価	金 額	摘 要
直接工事費					204,591,538	
航路泊地(埋没)付帯施設					204,591,538	
上部工					191,430,462	
上部コンクリート工					191,430,462	
支保					27,504,481	
1 支保組立組外(重力式)		m	943.00	29,167	27,504,481	
削孔	φ25mm L=200mm				2,224,728	
2 削孔(ハンマドリル)		孔	3,816.00	583	2,224,728	
差筋	SD345 D19, D25				3,187,533	
3 鉄筋、機械継手		式	1.00	3,187,533	3,187,533	
鉄筋	SD345 D19				22,005,873	
4 鉄筋加工組立	SD345 D19	kg	82,419.00	267	22,005,873	
型枠					30,922,209	
5 鋼製型枠組立組外(重力式)		m ²	1,133.00	25,973	29,427,409	
6 箱抜き用型枠材料費	φ550mm L=2.0m	箇所	148.00	10,100	1,494,800	
伸縮目地	瀝青質系				908,500	

積算内訳表

八戸港八太郎・河原木地区航路泊地(埋没)付帯施設上部外工事


名 称	規格・形状寸法	単 位	数 量	単 価	金 額	摘 要
7 伸縮目地	瀝青質系	m ²	395.00	2,300	908,500	
コンクリート	24-12-25(20) BB				104,677,138	
8 コンクリート運搬(台船バケット)		m ³	2,773.00	17,608	48,826,984	
9 コンクリート打設(1)(バケット)	24-12-25(20) BB	m ³	1,362.00	19,424	26,455,488	
10 コンクリート打設(2)(バケット)	24-12-25(20) BB 冬期割増含む	m ³	1,411.00	20,256	28,581,216	
11 特殊養生		m ³	957.00	850	813,450	
消波工					13,144,352	
消波ブロック工					13,144,352	
消波ブロック据付	六脚ブロック A1.10形				13,144,352	
12 ブロック運搬仮置(1)(陸上連携方式)	六脚ブロック(21.022t/個) 陸上～陸上	個	108.00	8,878	958,824	
13 ブロック運搬仮置(2)(陸上連携方式)	六脚ブロック(21.022t/個) 陸上～陸上	個	26.00	6,838	177,788	
14 ブロック運搬据付(1)(海上一連方式)	六脚ブロック(21.022t/個) 陸上～水上	個	108.00	89,610	9,677,880	
15 ブロック運搬据付(2)(海上一連方式)	六脚ブロック(21.022t/個) 陸上～水上	個	26.00	89,610	2,329,860	
雑工					16,724	
その他雑工					16,724	
点検孔設置	φ100mm L=2.00m				16,724	

積算内訳表

八戸港八太郎・河原木地区航路泊地(埋没)付帯施設上部外工事

名 称	規格・形状寸法	単 位	数 量	単 価	金 額	摘 要
16 点検孔	φ100mm L=2.00m	式	1.00	16,724	16,724	
共通仮設費(積上)					7,772,142	
共通仮設					7,772,142	
共通仮設費					7,772,142	
安全費					7,699,342	
安全対策	航行誘導船				7,699,342	
17 航行誘導船	就業8H・交通船 FRP D70PS型	式	1.00	7,699,342	7,699,342	
技術管理費					72,800	
技術管理					72,800	
18 施工実態調査		式	1.00	72,800	72,800	

Handwritten notes on the left margin, including the word "Lecture" and other illegible scribbles.



代価表・施工パッケージ

八戸港八太郎・河原木地区航路泊地(埋没)付帯施設上部外工事

番号：1

名称：支保組立組外(重力式)

100m当り

名 称	規格・形状寸法	単 位	数 量	単 価	金 額	摘 要	備 考
支保組立組外(重力式)	クレーン抜き	m	100.00	6,300.00	630,000		
引船	鋼D 550PS型	日	2.00	295,535.00	591,070	2.00H / 8H	
起重機船(非航旋回)	鋼D 70t吊	日	2.00	847,817.00	1,695,634	6.00H / 8H	
合 計	作業能力：100.00m			29,167.00	2,916,704		

番号：2

名称：削孔(ハンマドリル)

100孔当り

名 称	規格・形状寸法	単 位	数 量	単 価	金 額	摘 要	備 考
世話役		人	0.30	26,900.00	8,070		
特殊作業員		人	1.20	24,300.00	29,160		
普通作業員		人	0.40	17,900.00	7,160		
発動発電機(雑工(削孔工)による場合)	2kVA	日	1.70	1,568.00	2,665		
雑材料	全体の%	%	24.00	47,055.00	11,293		
合 計	作業能力：100.00孔			583.00	58,348		

番号：3

名称：鉄筋、機械継手

1式当り

名 称	規格・形状寸法	単 位	数 量	単 価	金 額	摘 要	備 考
鉄筋(異形)	SD345 D19	kg	7,978.00	82.50	658,185		
鉄筋(異形)	SD345 D25	kg	1,264.00	82.50	104,280		
樹脂系アンカー	D19用	本	3,816.00	483.00	1,843,128		
機械継手	D25(接続側)、接続ボルト含む	個	318.00	1,830.00	581,940		
合 計	作業能力：1.00式			3,187,533.00	3,187,533		

代価表・施工パッケージ

八戸港八太郎・河原木地区航路泊地(埋没)付帯施設上部外工事

番号：4

名称：鉄筋加工組立 SD345 D19

1000kg当り

名 称	規格・形状寸法	単 位	数 量	単 価	金 額	摘 要	備 考
鉄筋(異形)	SD345 D19	kg	1,030.00	82.50	84,975		
鉄筋加工組立(上部工製作)	クレーン抜き	kg	1,000.00	68.00	68,000		
起重機船(非航旋回)	鋼D.70t吊	日	0.10	847,817.00	84,781	6.00H / 8H	
引船	鋼D.550PS型	日	0.10	295,535.00	29,553	2.00H / 8H	
合 計	作業能力：1,000.00kg			267.00	267,309		

番号：5

名称：鋼製型枠組立組外(重力式)

100m²当り

名 称	規格・形状寸法	単 位	数 量	単 価	金 額	摘 要	備 考
鋼製型枠組立組外(重力式)	クレーン抜き	m ²	100.00	8,050.00	805,000		
ラフテレーンクレーン(排出ガス対策型)	(油圧伸縮ジブ型)45t吊	日	1.00	77,300.00	77,300	8H	
起重機船(非航旋回)	鋼D.70t吊	日	1.50	847,817.00	1,271,725	6.00H / 8H	
引船	鋼D.550PS型	日	1.50	295,535.00	443,302	2.00H / 8H	
合 計	作業能力：100.00m ²			25,973.00	2,597,327		

番号：6

名称：箱抜き用型枠材料費 φ550mm L=2.0m

1箇所当り

名 称	規格・形状寸法	単 位	数 量	単 価	金 額	摘 要	備 考
円形型枠	φ550 L=2.0m	本	1.00	10,100.00	10,100		
合 計	作業能力：1.00箇所			10,100.00	10,100		

代価表・施工パッケージ

八戸港八太郎・河原木地区航路泊地(埋没)付帯施設上部外工事

番号：7

名称：伸縮目地 瀝青質系

100m²当り

名 称	規格・形状寸法	単位	数 量	単 価	金 額	摘 要	備 考
伸縮目地工(瀝青質系)	t=10mm	m ²	100.00	2,300.00	230,000		
合 計	作業能力：100.00m ²			2,300.00	230,000		

番号：8

名称：コンクリート運搬(台船バケット)

100m³当り

名 称	規格・形状寸法	単位	数 量	単 価	金 額	摘 要	備 考
起重機船(非航旋回)	鋼D 70t吊	日	1.04	847,817.00	881,729	6.00H / 8H	
台船	鋼300t積	日	2.08	218,780.00	455,062	8H	
引船	鋼D 550PS型	日	1.04	311,152.00	323,598	4.00H / 8H	
ラフテレーンクレーン(排出ガス対策型)	(油圧伸縮ジブ型)45t吊	日	0.52	77,300.00	40,196	8H	
コンクリートバケット	3.0m ³	日	12.48	4,130.00	51,542		
雑材料	全体の%	%	0.50	1,752,127.00	8,760		
合 計	作業能力：100.00m ³			17,608.00	1,760,887		

番号：9

名称：コンクリート打設(1)(バケット) 24-12-25(20) BB

100m³当り

名 称	規格・形状寸法	単位	数 量	単 価	金 額	摘 要	備 考
レディーミクストコンクリート(高炉セメントB)	24-12-25(20) W/C=60%以下	m ³	104.00	15,600.00	1,622,400		
コンクリート打設(上部工製作)	台船バケット・自積バケット	m ³	100.00	3,200.00	320,000		
合 計	作業能力：100.00m ³			19,424.00	1,942,400		

代価表・施工パッケージ

八戸港八太郎・河原木地区航路泊地(埋没)付帯施設上部外工事

番号：10

名称：コンクリート打設(2)(バケット) 24-12-25(20) BB 冬期割増含む 100m³当り

名称	規格・形状寸法	単位	数量	単価	金額	摘要	備考
レディーミクストコンクリート(高炉セメントB)	24-12-25(20) W/C=60%以下 冬期割増含む	m ³	104.00	16,400.00	1,705,600		
コンクリート打設(上部工製作)	台船バケット・自積バケット	m ³	100.00	3,200.00	320,000		
合計	作業能力：100.00m ³			20,256.00	2,025,600		

番号：11

名称：特殊養生 10m³当り

名称	規格・形状寸法	単位	数量	単価	金額	摘要	備考
普通作業員		人	0.380	17,900.00	6,802		
諸雑費(率+まるめ)		%	25.000	6,802.00	1,700		
合計	作業能力：10.00m ³			850.00	8,502		

番号：12

名称：ブロック運搬仮置(1)(陸上連携方式) 六脚ブロック(21.022t/個) 陸上～陸上 1日当り(76個)

名称	規格・形状寸法	単位	数量	単価	金額	摘要	備考
ラフテレーンクレーン(排出ガス対策型)	(油圧伸縮ジブ型)50t吊	日	1.00	82,300.00	82,300	8H	
ラフテレーンクレーン(排出ガス対策型)	(油圧伸縮ジブ型)50t吊	日	1.00	82,300.00	82,300	8H	
トレーラ	25t積	日	5.00	77,115.00	385,575	6.30H / 8H	
とび工		人	2.00	24,800.00	49,600		
普通作業員		人	4.00	17,900.00	71,600		
雑材料	全体の%	%	0.50	671,375.00	3,356		
合計	作業能力：76.00個			8,878.00	674,731		

代価表・施工パッケージ

八戸港八太郎・河原木地区航路泊地(埋没)付帯施設上部外工事

番号：13

名称：ブロック運搬仮置(2)(陸上連携方式) 六脚ブロック(21.022t/個) 陸上～陸上

1日当り(76個)

名 称	規格・形状寸法	単 位	数 量	単 価	金 額	摘 要	備 考
ラフテレーンクレーン(排出ガス対策型)	(油圧伸縮ジブ型)50t吊	日	1.00	82,300.00	82,300	8H	
ラフテレーンクレーン(排出ガス対策型)	(油圧伸縮ジブ型)50t吊	日	1.00	82,300.00	82,300	8H	
トレーラ	25t積	日	3.00	77,115.00	231,345	6.30H / 8H	
とび工		人	2.00	24,800.00	49,600		
普通作業員		人	4.00	17,900.00	71,600		
雑材料	全体の%	%	0.50	517,145.00	2,585		
合 計	作業能力：76.00個			6,838.00	519,730		

番号：14

名称：ブロック運搬据付(1)(海上一連方式) 六脚ブロック(21.022t/個) 陸上～水上

1日当り(19個)

名 称	規格・形状寸法	単 位	数 量	単 価	金 額	摘 要	備 考
起重機船(非航旋回)	鋼D 150t吊	日	1.00	1,247,775.00	1,247,775	4.00H / 8H	
引船	鋼D 700PS型	日	1.00	325,150.00	325,150	2.00H / 8H	
とび工		人	2.00	24,800.00	49,600		
普通作業員		人	4.00	17,900.00	71,600		
雑材料	全体の%	%	0.50	1,694,125.00	8,470		
合 計	作業能力：19.00個			89,610.00	1,702,595		

代価表・施工パッケージ

八戸港八太郎・河原木地区航路泊地(埋没)付帯施設上部外工事

番号：15

名称：ブロック運搬据付(2)(海上一連方式) 六脚ブロック(21.022t/個) 陸上～水上

1日当り(19個)・

名 称	規格・形状寸法	単位	数 量	単 価	金 額	摘 要	備 考
起重機船(非航旋回)	鋼D 150t吊	日	1.00	1,247,775.00	1,247,775	4.00H / 8H	
引船	鋼D 700PS型	日	1.00	325,150.00	325,150	2.00H / 8H	
とび工		人	2.00	24,800.00	49,600		
普通作業員		人	4.00	17,900.00	71,600		
雑材料	全体の%	%	0.50	1,694,125.00	8,470		
合 計	作業能力：19.00個			89,610.00	1,702,595		

番号：16

名称：点検孔 φ100mm L=2.00m

1式当り・

名 称	規格・形状寸法	単位	数 量	単 価	金 額	摘 要	備 考
円形型枠	φ100mm L=2.00m	本	37.00	452.00	16,724		
合 計	作業能力：1.00式			16,724.00	16,724		

番号：17

名称：航行誘導船 就業8H・交通船 FRP D70PS型

1式当り・

名 称	規格・形状寸法	単位	数 量	単 価	金 額	摘 要	備 考
航行誘導船	FRP D 70PS型 3.0t	日	60.90	125,797.00	7,661,037	8H	
雑材料	全体の%	%	0.50	7,661,037.00	38,305		
合 計	作業能力：1.00式			7,699,342.00	7,699,342		

代価表・施工パッケージ


八戸港八太郎・河原木地区航路泊地(埋没)付帯施設上部外工事

番号：18

名称：施工実態調査

1式当り

名 称	規格・形状寸法	単 位	数 量	単 価	金 額	摘 要	備 考
モニタリング調査費	全工種	工種	2.00	36,400.00	72,800		
合 計	作業能力：1.00式			72,800.00	72,800		



単価表一覧

八戸港八太郎・河原木地区航路泊地(埋没)付帯施設上部外工事

No.	名 称	規格・形状寸法	単 位	単 価	時間(H)	代価No.	代価表名称	代価表規格・形状寸法
1	引船	鋼D 550PS型	日	295,535	2.00H / 8H	1	支保組立組外(重力式)	
						4	鉄筋加工組立	SD345 D19
						5	鋼製型枠組立組外(重力式)	
2	起重機船(非航旋回)	鋼D 70t吊	日	847,817	6.00H / 8H	1	支保組立組外(重力式)	
						4	鉄筋加工組立	SD345 D19
						5	鋼製型枠組立組外(重力式)	
3	発動発電機(雑工(削孔工)による場合)	2kVA	日	1,568		2	削孔(ハンマドリル)	
4	ラフテレーンクレーン(排出ガス対策型)	(油圧伸縮ジブ型)45t吊	日	77,300	8H	5	鋼製型枠組立組外(重力式)	
						8	コンクリート運搬(台船バケット)	
5	台船	鋼300t積	日	218,780	8H	8	コンクリート運搬(台船バケット)	
6	引船	鋼D 550PS型	日	311,152	4.00H / 8H	8	コンクリート運搬(台船バケット)	
7	コンクリートバケット	3.0m3	日	4,130		8	コンクリート運搬(台船バケット)	
8	ラフテレーンクレーン(排出ガス対策型)	(油圧伸縮ジブ型)50t吊	日	82,300	8H	12	ブロック運搬仮置(1)(陸上連携方式)	六脚ブロック(21.022t/個) 陸上～陸上
						12	ブロック運搬仮置(1)(陸上連携方式)	六脚ブロック(21.022t/個) 陸上～陸上
						13	ブロック運搬仮置(2)(陸上連携方式)	六脚ブロック(21.022t/個) 陸上～陸上
						13	ブロック運搬仮置(2)(陸上連携方式)	六脚ブロック(21.022t/個) 陸上～陸上
9	トレーラ	25t積	日	77,115	6.30H / 8H	12	ブロック運搬仮置(1)(陸上連携方式)	六脚ブロック(21.022t/個) 陸上～陸上
						13	ブロック運搬仮置(2)(陸上連携方式)	六脚ブロック(21.022t/個) 陸上～陸上
10	起重機船(非航旋回)	鋼D 150t吊	日	1,247,775	4.00H / 8H	14	ブロック運搬据付(1)(海上一連方式)	六脚ブロック(21.022t/個) 陸上～水上
						15	ブロック運搬据付(2)(海上一連方式)	六脚ブロック(21.022t/個) 陸上～水上
11	引船	鋼D 700PS型	日	325,150	2.00H / 8H	14	ブロック運搬据付(1)(海上一連方式)	六脚ブロック(21.022t/個) 陸上～水上
						15	ブロック運搬据付(2)(海上一連方式)	六脚ブロック(21.022t/個) 陸上～水上
12	航行誘導船	FRP D 70PS型 3.0t	日	125,797	8H	17	航行誘導船	就業8H・交通船 FRP D70PS型

単価表

単価表番号：1

単価表名称：引船 鋼D 550PS型

1日当り 2.00H / 8H

名 称	規格・形状寸法	単位	数 量	単 価	金 額	摘 要	備 考
重油A		L	126.00	67.50	8,505		
高級船員		人	4.30	29,000.00	124,700	$\beta=2.15$	
普通船員		人	2.15	22,600.00	48,590	$\beta=2.15$	
損料(引船[鋼製])	D 550PS型	時間	2.00	3,590.00	7,180		運転時間
損料(引船[鋼製])	D 550PS型	日	3.20	33,300.00	106,560	$\alpha=3.20$	供用日
合 計					295,535		

単価表番号：2

単価表名称：起重機船(非航旋回) 鋼D 70t吊

1日当り 6.00H / 8H

名 称	規格・形状寸法	単位	数 量	単 価	金 額	摘 要	備 考
重油A		L	269.00	67.50	18,157		
船団長		人	2.15	29,000.00	62,350	$\beta=2.15$	
高級船員		人	2.15	29,000.00	62,350	$\beta=2.15$	
普通船員		人	8.60	22,600.00	194,360	$\beta=2.15$	
損料(起重機船[旋回・ディーゼル式])	D 70t吊	時間	6.00	16,300.00	97,800		運転時間
損料(起重機船[旋回・ディーゼル式])	D 70t吊	日	3.20	129,000.00	412,800	$\alpha=3.20$	供用日
合 計					847,817		

単価表

単価表番号：3

単価表名称：発動発電機(雑工(削孔工)による場合) 2kVA

1日当り

名	称	規格・形状寸法	単位	数量	単価	金額	摘要	備考
ガソリン			L	6.50	131.00	851		
賃料(発動発電機)		2kVA	日	1.30	552.00	717		
合計						1,568		

単価表番号：4

単価表名称：ラフテレーンクレーン(排出ガス対策型) (油圧伸縮ジブ型)45t吊

1日当り 8H

名	称	規格・形状寸法	単位	数量	単価	金額	摘要	備考
賃料(ラフテレーンクレーン [油圧伸縮ジブ		45t吊	日	1.00	77,300.00	77,300		
合計						77,300		

単価表番号：5

単価表名称：台船 鋼300t積

1日当り 8H

名	称	規格・形状寸法	単位	数量	単価	金額	摘要	備考
普通船員			人	4.30	22,600.00	97,180	$\beta=2.15$	
損料(台船)		300t積	日	3.20	38,000.00	121,600	$\alpha=3.20$	供用日
合計						218,780		

単価表

単価表番号：6

単価表名称：引船 鋼D 550PS型

1日当り 4.00H / 8H

名 称	規格・形状寸法	単位	数 量	単 価	金 額	摘 要	備 考
重油A		L	251.00	67.50	16,942		
高級船員		人	4.30	29,000.00	124,700	$\beta=2.15$	
普通船員		人	2.15	22,600.00	48,590	$\beta=2.15$	
損料(引船[鋼製])	D 550PS型	時間	4.00	3,590.00	14,360		運転時間
損料(引船[鋼製])	D 550PS型	日	3.20	33,300.00	106,560	$\alpha=3.20$	供用日
合 計					311,152		

単価表番号：7

単価表名称：コンクリートバケット 3.0m3

1日当り

名 称	規格・形状寸法	単位	数 量	単 価	金 額	摘 要	備 考
損料(コンクリートバケット [鋼製])	バケット規格3.0m3 質量8.1t	日	1.00	2,030.00	2,030		運転日
損料(コンクリートバケット [鋼製])	バケット規格3.0m3 質量8.1t	日	2.00	1,050.00	2,100		供用日
合 計					4,130		

単価表番号：8

単価表名称：ラフテレーンクレーン(排出ガス対策型) (油圧伸縮ジブ型)50t吊

1日当り 8H

名 称	規格・形状寸法	単位	数 量	単 価	金 額	摘 要	備 考
賃料(ラフテレーンクレーン [油圧伸縮ジブ])	50t吊	日	1.00	82,300.00	82,300		
合 計					82,300		

単価表

八戸港八太郎・河原木地区航路泊地(埋没)付帯施設上部外工事

単価表番号：9

単価表名称：トレーラ 25t積

1日当り 6.30H / 8H

名	称	規格・形状寸法	単位	数量	単価	金額	摘要	備考
軽油			L	113.00	100.00	11,300		
運転手(特殊)			人	1.00	26,600.00	26,600		
損料(トレーラ[セミ])		25t積	時間	6.30	1,550.00	9,765		運転時間
損料(トレーラ[セミ])		25t積	日	1.90	15,500.00	29,450		供用日
合計						77,115		

単価表番号：10

単価表名称：起重機船(非航旋回) 鋼D 150t吊

1日当り 4.00H / 8H

名	称	規格・形状寸法	単位	数量	単価	金額	摘要	備考
重油A			L	310.00	67.50	20,925		
船団長			人	2.15	29,000.00	62,350	$\beta=2.15$	
高級船員			人	2.15	29,000.00	62,350	$\beta=2.15$	
普通船員			人	10.75	22,600.00	242,950	$\beta=2.15$	
損料(起重機船[旋回・ディーゼル式])		D 150t吊	時間	4.00	29,200.00	116,800		運転時間
損料(起重機船[旋回・ディーゼル式])		D 150t吊	日	3.20	232,000.00	742,400	$\alpha=3.20$	供用日
合計						1,247,775		

単価表

単価表番号：11

単価表名称：引船 鋼D 700PS型

1日当り 2.00H / 8H

名 称	規格・形状寸法	単位	数 量	単 価	金 額	摘 要	備 考
重油A		L	160.00	67.50	10,800		
高級船員		人	4.30	29,000.00	124,700	$\beta=2.15$	
普通船員		人	2.15	22,600.00	48,590	$\beta=2.15$	
損料(引船[鋼製])	D 700PS型	時間	2.00	4,450.00	8,900		運転時間
損料(引船[鋼製])	D 700PS型	日	3.20	41,300.00	132,160	$\alpha=3.20$	供用日
合 計					325,150		

単価表番号：12

単価表名称：航行誘導船 FRP D 70PS型 3.0t

8H

名 称	規格・形状寸法	単位	数 量	単 価	金 額	摘 要	備 考
重油A		L	30.00	67.50	2,025		
高級船員		人	2.15	29,000.00	62,350	$\beta=2.15$	
普通船員		人	2.15	22,600.00	48,590	$\beta=2.15$	
損料(交通船[FRP製])	D 70PS型 3.0GT	日	1.00	3,200.00	3,200		運転日
損料(交通船[FRP製])	D 70PS型 3.0GT	日	3.20	3,010.00	9,632	$\alpha=3.20$	供用日
合 計					125,797		

